



Willistown Township
SWIMMING POOL PERMIT APPLICATION
Pool/Hot Tub/Spa

Outside Above Ground Permanent Private Pools with no diving board

UPI # 54- _____

Cost: _____

OWNER (S)'S NAME

OWNER(S) 'S ADDRESS

POOL ADDRESS IF DIFFERENT THAN ABOVE

OWNER (S) 'S PHONE NUMBERS


POOL CONTRACTOR AND SUBCONTRACTOR NAMES (LIST ATTACHED)

POOL CONTRACTOR'S ADDRESS

POOL CONTRACTOR'S PHONE NUMBERS

INFORMATION TO BE SUBMITTED WHEN APPLYING

- 1 A plat of survey for the property
2 Pool location on the lot - See sketch below and fill in number of feet
3 Pool dimensions Length Width Depth
4 Provide drawings or plans indicating construction of the pool
5 Provide details on the safety barrier gate (see pages 3 & 4)
6 Provide details on the electrical installation (see page 5)
7 Special Information



Minimum Distance To Lot Line () Feet

Minimum Distance To Street Property Line () Feet.

Check Zoning Requirements

Swimming Pool Permit Application

Location: _____

Date: _____

Owner Signature (s): _____

Date: _____

The information on this form becomes part of the permit application and compliance is required.

Use the sketch on page one (1) to indicate the following information:

1. Distance to the lot lines, street and house
2. Location of overhead or below grade utilities
3. Location of safety barrier
4. Location of gate in safety barrier
5. Location of ladder – minimum of one means of egress ladder per pool
6. Location of pool cleaning equipment: pump, over gutters or skimming devices – 1 skimmer per 1,000 sq. ft. of surface area. Area calculation {round 3.14 x radius x radius} {rectangle length times width}
7. Location of pump and convenience outlets (see examples) - indicate distances
8. Location of light fixtures and switches
9. Locations of pool deck if applicable (Note: a pool deck will require additional construction details – including dimensions, type of lumber, guards and steps):
10. Type of pool drainage system and area of drainage
11. Distance to septic field (if, on-site system)

ADDITIONAL REQUIRED INFORMATION

1. Method of filling or topping off pool
A vacuum breaker shall be provided on a threaded hose outlet _____
2. Size – Flow rate of pump _____ (water turnover required once every 18 hours)
Gallons in pool / flow of pump less than 18
Maximum filter rate - 5 gallons per minute per square foot of surface area
5 x _____ square feet = maximum gallon per minute rate
5 x _____ square feet x 60 = maximum gallons per hour rate
3. Type, quantity and method of storage for pool chemicals.
4. Type of ladder – ladder shall be able to be removed, secured, locked or provided with an approved safety barrier and gate. A removable ladder is not an acceptable safety barrier. Steps shall be slip resistant – handrails on both sides.
5. Special lot or site conditions. _____
6. Zoning restrictions or variances. _____

Swimming Pool Permit Application


Location: _____

Date: _____


APPROVED SAFETY BARRIERS

Side of the pool can be used as the safety barrier or other approved methods:


SIDE OF POOL




SIDE OF POOL WITH BARRIER






BOTTOM CLEARANCE




BARRIER OPENINGS




BRICK
NO INDENTATIONS OR PROJECTIONS



CHAIN LINK FENCE



CHAIN LINK FENCE
WITH SLATS



LATTICE WORK


Swimming Pool Permit Application

Location: _____

Date: _____

Pedestrian Gates – Swing open from pool, self-closing, self-locking, same construction requirements as the safety barriers and equipped to accommodate a locking device.

Gates are required to be self closing and latching with the release mechanism a minimum of 54 inches above grade or located on the pool side of the gate.



House wall used as part of the Safety Barrier

1. A side of the house used for the safety barrier with a door, with direct access to the pool shall have an audible alarm on the door or a power safety cover.

Alarm – commence within 7 seconds of opening door – sound for 30 seconds 85 dBA at 10 feet, distinctive sound, automatically reset, deactivation touch pads 54 inches above thresholds for a single opening allowed.

2. Doors opening onto the pool area – self-closing, self-latching, release 54 inches above the floor, swing away from pool area.
3. A deck which opens on to the pool will require a safety barrier from the deck or the deck shall comply with the safety barrier requirements including stairs and gates.
4. A deck which opens on to the pool and on the house which provides direct access from the door to the pool shall have alarms on the doors or a power safety cover.
5. Ladders and steps that provide access to the pool are required to be surrounded by a barrier as required above.

Swimming Pool Permit Application

Location: _____

Date: _____



ELECTRICAL REQUIREMENTS

Permanent Pools – Pools with a depth greater than 42 inches or which are not taken down and stored over the winter.

Storage Pools – Pools with a maximum depth of 42 inches or which are taken down over the winter.

1. Type and size conduit and conductor for electric supply for pump or outlet.
 Conductor _____ Conduit _____

2. Type of light fixture, switches and receptacles



OUTDOOR POOL

AREA A. LIGHTING FIXTURES, LIGHTING OUTLETS, AND CEILING FANS PERMITTED ABOVE 12' CEILING. FANS ARE COMMON WHERE POOL IS LOCATED IN A CABANA-TYPE STRUCTURE. SECTION 620-6 (b) (1).

AREA B. LIGHTING FIXTURES, LIGHTING OUTLETS, AND CEILING FANS NOT PERMITTED BELOW 12'. SECTION 620-6 (b) (1).

AREA C. EXISTING LIGHTING FIXTURES, LIGHTING OUTLETS PERMITTED IN THIS SPACE IF RIGIDLY ATTACHED TO EXISTING STRUCTURE (GFCI REQUIRED). SECTION 620-6 (c) (1), EXCEPT NO. 1.

AREA D. LIGHTING FIXTURES AND LIGHTING OUTLETS PERMITTED IF PROTECTED BY GFCI. SECTION 620-6 (c) (1).

AREA E. LIGHTING FIXTURES AND LIGHTING OUTLETS PERMITTED IF RIGIDLY ATTACHED. SECTION 620-6 (c) (1).

3. Permanent Pools – maximum length of pump cord is 3 feet.
4. Ground for receptacles – minimum #12, protected and connected to the grounding terminal bus of service panel or sub-panel.
5. Conduit underground shall have fittings for frost movement.
6. Underground cable shall have an “S” loop at the transition point to conduit.

Swimming Pool Permit Application

Location:

Date:

Required Inspections:

1. Preliminary Inspection Section 106.2
2. Underground piping Section 106.3
3. Reinforcing steel Section 307.4
4. Energy: Heaters Section 316
5. Energy Section 303
6. Electrical Section 302.1
7. Barrier Section 305
8. Grading



To: Pool, Spa or Hot Tub Contractor Applicant

Date: ____/____/____.

RE: Subcontractor List below must be completed as part of the permit application approval. Application will be deemed incomplete if this page is not filled out in full. Please have EACH subcontractor fill out a [Contractor Registration](#).

Contractor	Address	Phone	Email	HIC #
General Contractor				
Excavator				
Steel				
Gunite				
Tile				
Plumbing				
Electric				
Landscape				
Barrier				
Alarm				